order-no. 3-649 181 status: July 2016

GetaCore®

SOLID SURFACE MATERIAL
BASIC RANGE 2016–2018



Surfaces/Elements

Doors/Frames

Westag & Getalit AG
Postfach 26 29 | 33375 Rheda-Wiedenbrück | Germany
Tel. +49 5242 17-4400 | Fax +49 5242 17-74400
www.westag-getalit.de | le.export@westag-getalit.de

WESTAG & GETALIT AG



Object: Memorial place Berlin-Hohenschönhausen
Processor: barth Innenausbau KG / S.a.s.
Photographer: Bernd Hiepe, Berlin

CONTENTS

GetaCore® Solid Surface Material

5 What is GetaCore®?
6 Crystal Line
8 Lime Sand Line
10 White Line
12 Uni Line
14 Star Line
16 Decor Collection

Basic Range

18 Slabs
20 Worktops
22 Accessories

28 Basins - Basic & Special Range

30 Kitchen sinks
32 Sink modules
34 Sanitary basins
43 Accessories

General information

45 Project business
Processing
Surface care and maintenance
46 RAL/NCS classification

Appendix

47 Glossary



Object: Hotel 'nhow Berlin'
Processor: Fa. Kaiser Untergriesbach
© "nhow Berlin"

GetaCore®

SOLID SURFACE MATERIAL

The vast GetaCore® range from kitchen worktops, vanity elements to sophisticated solutions for the complete project business, an upmarket combination of appeal and functionality. GetaCore® impresses in any field of application. By means of the batchfree production of GetaCore®, the Solid Surface material, undermounted basins and sinks as well as attractive design concepts can be produced with seamless joints. The thermo-formability, jointfree appearance and the warm haptics are only some of the outstanding material properties of GetaCore®. The acrylic bound Solid Surface material make it stand out against other materials.

QUALITY PROPERTIES


food safe to EN 1186 and EN 13130


seamless joints


resistant to common household chemicals to ISO 19712


warm to the touch


heat resistant up to 180° C to ISO 19712


can be repaired and touch sanded


light fast wool standard level 6 to ISO 4892, ISO 105-B02, ISO 105-A02


easy to clean


impact resistant to DIN EN ISO 19712


thermoformable



| GC 2245 |
frosted star



| GC4422 |
frosted flint






GetaCore® Decor GC4422


LIME SAND LINE | VARIATION INSTEAD OF MONOTONY



| GC 2388 |
miracle beach



| GC 5242 |
miracle cliff



| GC 3322 |
miracle shell





GetaCore® Decor GC 3322




GetaCore® Decor: GC 2011




| GC 2269 |
frosted cloud



| GC 2258 |
miracle rock



| GC 2011 |
titan white



| GC 2008 |
davos white



| GC 2002 |
cream white



| GC 2004 |*
ivory white



| GC 2245 |*
frosted star



| GC 2252 |
frosted carat



| GC 2388 |
miracle beach




| GCT 236 |*
terrazzo crystal

* Due to the translucent effect directed light sources cater for attraction for 3mm slabs. We recommend acrylic glass sheets for compound elements in GC 2004. GC 2004 in 10 mm can also bei illuminated from the reverse side.



GetaCore® Decor: GC 3008



NEW

| GC 5008 |
glass green

NEW

| GC 3008 |
cream cashmere

NEW

| GC4004 |
asphalt grey


STAR LINE | BRILLIANCE AND GLAMOUR



| GCS 356 |
star champagne



| GCS 415 |
star metallic



| GCS 189 |
star anthracite









GetaCore® Decor: GCS 189














DECOR COLLECTION

	1	2	3	4	5	6	7
A	UNI						 NEW
		| GC 2008 | davos white	| GC 2011 | titan white	| GC 2002 | cream white	| GC 2004 | *1 ivory white	| GC 2007 | pergamon	| GC 3008 | cream cashmere
B	 NEW		 NEW	 NEW			
	| GC 5008 | glass green	| GC4002 | ▲ london grey	| GC4004 | asphalt grey	| GC 3007 | rome sand	| GC4001 | ■ new york grey	| GC 7002 | coffee bean	| GC 1001 | vienna black
C							
	| GC 3005 | desert sand	| GC 6004 | pastel violet	| GC 6001 | sevilla red				

▲ soon new reference GC4022 due to recipe modification
■ soon new reference GC4011 due to recipe modification

D	STAR TERRAZZO RAINDROPS		 NEW				
		| GCT 236 | *1 terrazzo crystal	| GCT 244 | *1 terrazzo pebble	| GCTR 29 | raindrops ivory	| GCS 356 | *2 star champagne	| GCS 415 | *2 star metallic	
E		 NEW		 NEW			
	| GCS 692 | star sevilla red	| GCS 746 | star venus	| GCR 783 | raindrops coffee	| GCS 176 | star mars	| GCTR 18 | raindrops anthracite	| GCS 189 | star anthracite	

F	VENETO			 NEW			
	Decor sections: 1000 x 450 mm	| GCV 223 | marmo padola	| GCV 239 | marmo piave	| GCV 374 | marmo brenta			
G							
		| GCV 478 | marmo livenza	| GCV 142 | marmo meduna				


8	9	10	11	12	13	14	
FINE COARSE							
					NEW 		A
| GC 2269 | frosted cloud	| GC 2245 | *1 frosted star	| GC 2388 | miracle beach	| GC 2258 | miracle rock	| GC 2252 | frosted carat	| GC 3434 | miracle vanilla		
						NEW 	B
| GC4422 | frosted flint	| GC 2232 | frosted light	| GC 2371 | miracle white	| GC4143 | frosted dust	| GC 3961 | miracle feather	| GC 6421 | miracle coral	| GC4732 | frosted melange	
	NEW 	NEW 		NEW 			C
| GC 3391 | miracle dune	| GC 3328 | miracle coast	| GC 3322 | miracle shell	| GC 2423 | miracle sand	| GC 3737 | frosted sahara	| GC 9923 | frosted vanilla	| GC 3210 | miracle desert	
NEW 				NEW 			D
| GC 5242 | miracle cliff	| GC 5665 | miracle camouflage	| GC 7940 | miracle caramel	| GC 7312 | frosted sand	| GC 7193 | frosted pepper	| GC4884 | miracle basalt	| GC 8558 | miracle lagoon	
NEW 	NEW 						E
| GC4439 | miracle granite	| GC4715 | miracle flint	| GC 6886 | miracle berry	| GC 6172 | frosted wine	| GC 7557 | miracle cognac	| GC 7761 | frosted tobacco	| GC 7227 | miracle coffee	
							F
| GC 1062 | miracle black	| GC4712 | frosted grey	| GC 1122 | frosted dark	| GC 1472 | miracle stone	| GC 1112 | frosted space			

Signs of scratches and daily wear and tear are inevitable during normal use and these become more obvious in the case of high-gloss and colour-intensive decors in comparison to other decors. Especially for GetaCore Uni decors minor occasional dust inclusions cannot be ruled out due to production procedures.

*2 Due to the translucent effect directed light sources cater for attraction for 3 mm slabs. We recommend acrylic glass sheets for compound elements in GC 2004. GC 2004 in 10 mm can also bei illuminated from the reverse side.

*3 Different laying directions lead to various light effects due to the little crunchy particles. Therefore, sheets should be joined with each other only in one direction – as far as possible - for reasons of visual effects. Please do orientate yourself towards the sheets' marked casting direction.

Colour deviations of illustrated decor images are possible for printing reasons.



■ **GetaCore slabs 3/10 mm**


Acrylic-resin bound Solid Surface material according to DIN EN ISO 19712, 3/10 mm, surface wet sanded (P 600), reverse side dry sanded (P 80), surface foil-protected.

Slabs						Sizes/Article numbers							
Decor		Design group	Coordinate Page	Price group	Status	4100 mm				2040 mm			
						1250 mm		615 mm		1250 mm		615 mm	
THICKNESSES 3/10 MM						**3 mm**	**10 mm**	**3 mm**	**10 mm**	**3 mm**	**10 mm**	**3 mm**	**10 mm**
GC1001	vienna black	Uni	B7/ Page 16	1		592 727	676 354	592 984	677 496	592 836	677 616	592 950	677 556
GC1062	miracle black	Coarse	F8/ Page 17	2		425 870	675 071	428 449	677 497	431 782	677 617	558 104	677 557
GC1112	frosted space	Fine	F12/ Page 17	2		592 735	676 355	592 985	677 498	592 837	677 618	592 951	677 558
GC1122	frosted dark	Fine	F10/ Page 17	2		425 834	675 072	428 443	677 499	431 776	677 619	558 105	677 559
GC1472	miracle stone	Coarse	F11/ Page 17	2		628 981	676 356	629 011	677 500	629 021	677 620	629 031	677 560
GC2002	cream white	Uni	A4/ Page 16	0		592 729	676 357	592 989	677 501	592 941	677 621	592 955	677 561
GC2004	ivory white	Uni	A5/ Page 16	1		697 456	697 450	698 205	698 208	698 222	698 225	698 228	698 232
GC2007	pergamon	Uni	A6/ Page 16	1		550 156	668 841	551 231	677 502	551 306	677 622	558 107	677 562
GC2008	davos white	Uni	A2/ Page 16	1		697 457	697 451	698 206	698 209	698 223	698 226	698 229	698 234
GC2011	titan white	Uni	A3/ Page 16	0		670 929	675 073	670 942	677 503	670 943	677 623	670 944	677 563
GC2232	frosted light	Fine	B9/ Page 17	2		431 758	668 843	428 435	677 504	431 768	677 624	558 108	677 564
GC2245	frosted star	Fine	A10/ Page 17	2		697 454	697 448	698 207	698 210	698 224	698 227	698 231	698 235
GC2252	frosted carat	Fine	A13/ Page 17	2	Innovation	766 625	766 626	766 637	766 670	766 632	766 730	766 627	766 725
GC2258	miracle rock	Coarse	A12/ Page 17	2		706 646	706 647	712 688	712 698	712 708	712 718	712 733	712 743
GC2269	frosted cloud	Fine	A9/ Page 17	2		694 017	693 988	693 980	694 046	693 978	694 044	693 976	694 042
GC2371	miracle white	Coarse	B10/ Page 17	2		425 865	668 844	428 444	677 505	431 777	677 625	558 109	677 565
GC2388	miracle beach	Coarse	A11/ Page 17	2		680 468	680 472	684 591	681 132	684 563	684 607	684 571	684 619
GC2423	miracle sand	Coarse	C11/ Page 17	2		547 881	675 074	551 232	677 507	551 307	677 627	558 111	677 567
GC3005	desert sand	Uni	C1/ Page 16	1		710 984	710 985	711 884	711 888	711 883	711 887	711 882	711 886
GC3007	rome sand	Uni	B4/ Page 16	1	Innovation	766 996	767 014	767 022	767 057	767 038	767 075	767 030	767 065
GC3008	cream cashmere	Uni	A7/ Page 16	1	Innovation	766 997	767 015	767 023	767 058	767 039	767 076	767 031	767 066
GC3210	miracle desert	Coarse	C14/ Page 17	2		431 763	676 391	428 445	677 511	431 778	677 631	558 113	677 571
GC3322	miracle shell	Coarse	C10/ Page 17	2	Innovation	765 624	765 625	767 239	767 262	767 265	767 268	767 271	767 274
GC3328	miracle coast	Coarse	C9/ Page 17	2	Innovation	766 998	767 016	767 024	767 059	767 040	767 077	767 032	767 069
GC3391	miracle dune	Coarse	C8/ Page 17	2		680 469	680 473	684 590	681 133	684 562	684 606	684 570	684 618
GC3434	miracle vanilla	Coarse	A14/ Page 17	2		628 982	676 392	629 012	677 512	629 022	677 632	629 032	677 572
GC3737	frosted sahara	Fine	C12/ Page 17	2	Innovation	766 586	766 590	766 638	766 721	766 633	766 731	766 628	766 726
GC3961	miracle feather	Coarse	B12/ Page 17	2		559 080	676 393	559 621	677 513	583 820	677 633	583 242	677 573
GC4001■	new york grey	Uni	B5/ Page 16	1		592 726	676 394	593 011	677 514	592 943	677 634	592 957	677 574
GC4011	manhattan grey	Uni	B5/ Page 16	1		768 673	768 713	768 675	768 715	768 679	768 719	768 677	768 717
GC4002▲	london grey	Uni	B2/ Page 16	1		592 728	676 395	593 012	677 515	592 944	677 635	592 958	677 575
GC4022	soho grey	Uni	B2/ Page 16	1		768 674	768 714	768 676	768 716	768 680	768 720	768 678	768 718
GC4004	asphalt grey	Uni	B3/ Page 16	1	Innovation	766 999	767 017	767 025	767 060	767 041	767 078	767 033	767 070
GC4143	frosted dust	Fine	B11/ Page 17	2		425 890	668 845	428 436	677 516	431 769	677 636	558 114	677 576
GC4422	frosted flint	Fine	B8/ Page 17	2		704 983	704 996	705 213	705 215	705 217	705 219	705 221	705 223
GC4439	miracle granite	Coarse	E8/ Page 17	2	Innovation	766 587	766 591	766 639	766 722	766 634	766 732	766 629	766 727
GC4712	frosted grey	Fine	F9/ Page 17	2		425 833	676 399	428 442	677 520	431 773	677 640	558 116	677 580
GC4715	miracle flint	Coarse	E9/ Page 17	2	Innovation	767 000	767 018	767 026	767 061	767 042	767 079	767 034	767 071
GC4732	frosted melange	Fine	B14/ Page 17	2	Innovation	766 588	766 592	766 640	766 723	766 635	766 733	766 630	766 728
GC4884	miracle basalt	Coarse	D13/ Page 17	2		711 070	711 078	712 689	712 699	712 709	712 719	712 734	712 744
GC5008	glass green	Uni	B1/ Page 16	1	Innovation	767 011	767 019	767 027	767 062	767 043	767 080	767 035	767 072

■ soon new reference GC4011 due to recipe modification


▲ soon new reference GC4022 due to recipe modification

Slabs						Sizes/Article numbers							
Decor		Design group	Coordinate Page	Price group	Status	4100 mm				2040 mm			
						1250 mm		615 mm		1250 mm		615 mm	
THICKNESSES 3/10 MM						**3 mm**	**10 mm**	**3 mm**	**10 mm**	**3 mm**	**10 mm**	**3 mm**	**10 mm**
GC5242	miracle cliff	Coarse	D8/ Page 17	2	Innovation	766 589	766 593	766 641	766 724	766 636	766 734	766 631	766 729
GC5665	miracle camouflage	Coarse	D9/ Page 17	2		711 071	711 079	712 690	712 700	712 710	712 720	712 735	712 745
GC6001	sevilla red	Uni	C3/ Page 16	1		592 724	676 402	593 015	677 524	592 947	677 644	592 961	677 584
GC6004	pastel violet	Uni	C2/ Page 16	1		713 779	713 782	714 393	714 396	714 401	714 405	714 408	714 421
GC6172	frosted wine	Fine	E11/ Page 17	2		431 761	675 077	428 441	677 525	431 772	677 645	558 122	677 585
GC6421	miracle coral	Coarse	B13/ Page 17	2		550 212	675 079	551 238	677 526	551 325	677 646	558 124	677 586
GC6886	miracle berry	Coarse	E10/ Page 17	2		711 499	711 502	712 691	712 701	712 711	712 721	712 736	712 746
GC7002	coffee bean	Uni	B6/ Page 16	1		649 079	676 404	649 963	677 529	649 985	677 649	650 149	677 589
GC7193	frosted pepper	Fine	D12/ Page 17	2	Innovation	765 626	765 627	767 240	767 263	767 266	767 269	767 272	767 275
GC7227	miracle coffee	Coarse	E14/ Page 17	2		711 072	711 080	712 692	712 702	712 712	712 722	712 737	712 747
GC7312	frosted sand	Fine	D11/ Page 17	2		431 760	676 406	428 439	677 531	431 771	677 651	558 126	677 591
GC7557	miracle cognac	Coarse	E12/ Page 17	2		711 073	711 081	712 693	712 703	712 713	712 723	712 738	712 748
GC7761	frosted tobacco	Fine	E13/ Page 17	2		628 986	675 081	629 016	677 532	629 026	677 652	629 036	677 592
GC7940	miracle caramel	Coarse	D10/ Page 17	2		547 694	675 082	551 239	677 533	551 326	677 653	558 127	677 593
GC8558	miracle lagoon	Coarse	D14/ Page 17	2		711 075	711 083	712 695	712 705	712 715	712 725	712 740	712 750
GC9923	frosted vanilla	Fine	C13/ Page 17	2		550 213	668 847	551 240	677 539	551 327	677 659	558 131	677 599
GCR783	raindrops coffee	Raindrops	E3/ Page 16	3		649 073	675 083	649 961	677 543	649 983	677 663	650 147	677 603
GCS176	star mars	Star	E4/ Page 16	3	Innovation	767 012	767 020	767 028	767 063	767 044	767 081	767 036	767 073
GCS189	star anthracite	Star	E6/ Page 16	3		585 204	676 427	585 339	677 544	585 345	677 664	585 351	677 604
GCS356	star champagne	Star	D5/ Page 16	3		711 501	711 503	711 902	711 906	711 901	711 905	711 890	711 904
GCS415	star metallic	Star	D6/ Page 16	3		715 151	715 152	715 153	715 156	715 154	715 157	715 155	715 158
GCS692	star sevilla red	Star	E1/ Page 16	3		595 633	676 429	595 829	677 546	595 843	677 666	595 847	677 606
GCS746	star venus	Star	E2/ Page 16	3	Innovation	767 013	767 021	767 029	767 064	767 045	767 082	767 037	767 074
GCT236	terrazzo crystal	Terrazzo	D2/ Page 16	3		672 701	676 416	672 704	677 549	672 705	677 669	672 706	677 609
GCT244	terrazzo pebble	Terrazzo	D3/ Page 16	3	Innovation	765 628	765 629	767 261	767 264	767 267	767 270	767 273	767 276
GCTR18	raindrops anthracite	Raindrops	E5/ Page 16	3		649 045	676 419	649 953	677 552	649 976	677 672	650 140	677 612
GCTR29	raindrops ivory	Raindrops	D4/ Page 16	3		649 044	675 084	649 954	677 553	649 977	677 673	650 141	677 613
GCV142	marmo meduna	Veneto	G4-5/ Page 16	3		716 380	718 281	716 396	725 781	716 394	725 783	716 392	725 785
GCV223	marmo padola	Veneto	F2-3/ Page 16	3		733 237	734 103	733 238	734 105	733 240	734 107	733 239	734 108
GCV239	marmo piave	Veneto	F4-5/ Page 16	3		716 391	718 282	716 397	725 782	716 395	725 784	716 393	725 786
GCV374	marmo brenta	Veneto	F6-7/ Page 16	3	Innovation	754 110	754 082	754 125	754 126	754 129	754 130	754 127	754 128
GCV478	marmo livenza	Veneto	G2-3/ Page 16	3		716 254	718 283	716 258	722 790	716 257	723 011	716 255	723 012



■ GetaCore slabs 12 mm


12 mm acrylic-resin bound Solid Surface material according to DIN EN ISO 19712. Surface wet sanded (P 600), reverse side dry sanded (P 80). Surface foil-protected.



■ GetaCore sheet material 20 mm


Acrylic-resin bound Solid Surface material according to DIN EN ISO 19712, 20 mm, surface wet sanded (P 600), reverse side dry sanded (P 80), surface foil-protected.

Slabs						Sizes/Article numbers							
Decor		Design group	Coordinate Page	Price group	Status	4100 mm				2040 mm			
						1250 mm		615 mm		1250 mm		615 mm	
THICKNESSES 12/20 MM						**12 mm**	**20 mm**	**12 mm**	**20 mm**	**12 mm**	**20 mm**	**12 mm**	**20 mm**
GC2011	titan white	Uni	A3/ Page 16	0		670 643	700 184	670 948	700 186	670 949	700 187	670 950	700 188



GetaCore worktops

35 mm chipboard Type P3 according to DIN EN 312, faced with 3 mm GetaCore acrylic-resin bound solid surface material, wet sanded (P 600). Reverse side with 0.3 mm balancer, front edge 10 mm GetaCore with an elastic expansion joint between substrate and GetaCore edge. Moisture-resistant seal at GetaCore/balancer joint along front edge. Surface foil-protected.



Worktops Cut-and-edge


All worktop decors are also available as cut-and-lip. Benefit from this service, for example for sink/basin installation in same decor.

Worktops						Sizes/Article numbers						
						Support 35 mm Type P3						
						4100 mm						
						single postformed				double postformed		
Decor		Design group	Co-ordinate Page	Price group	Status	600 mm	650 mm	900 mm	1200 mm	670 mm	900 mm	1200 mm
GC1001	vienna black	Uni	B7/ Page 16	1		597 381	681 136	597 399	597 427	618 601	618 618	707 916
GC1062	miracle black	Coarse	F8/ Page 17	2		427 643	600 516	426 170	426 171	431 568	426 241	707 927
GC1112	frosted space	Fine	F12/ Page 17	2		597 382 *	625 766	597 400	597 428	599 976	599 991	707 928
GC1122	frosted dark	Fine	F10/ Page 17	2		427 644	600 517	426 178	426 179	431 562	426 242	707 929
GC1472	miracle stone	Coarse	F11/ Page 17	2		629 272 *	629 278	629 284	629 290	629 296	629 302	707 930
GC2002	cream white	Uni	A4/ Page 16	0		597 386 *	681 137	597 404 *	597 432	618 602	618 619	707 917
GC2007	pergamon	Uni	A6/ Page 16	1		553 932 *	681 138	553 936	553 938	553 942	553 944	707 918
GC2008	davos white	Uni	A2/ Page 16	1		699 347	699 350	699 356	699 362	699 353	699 359	707 919
GC2011	titan white	Uni	A3/ Page 16	0		672 568 *	672 570	672 582 *	672 584	672 586	672 588	707 920
GC2232	frosted light	Fine	B9/ Page 17	2		427 645 *	678 988	426 194 *	426 195	431 554	426 245	707 932
GC2245	frosted star	Fine	A10/ Page 17	2		699 349	699 352	699 358	699 364	699 355	699 361	707 933
GC2252	frosted carat	Fine	A13/ Page 17	2	Innovation	766 807	766 812	766 797	766 822	766 827	766 832	766 838
GC2258	miracle rock	Coarse	A12/ Page 17	2		713 183	713 233	713 246	713 260	713 288	713 301	713 279
GC2269	frosted cloud	Fine	A9/ Page 17	2		694 306 *	694 308	694 311	694 312	694 309	694 310	707 934
GC2371	miracle white	Coarse	B10/ Page 17	2		427 646 *	600 518	426 197	426 198	431 563	426 247	707 935
GC2388	miracle beach	Coarse	A11/ Page 17	2		685 974 *	693 478	685 992	686 001	693 492	693 496	707 936
GC2423	miracle sand	Coarse	C11/ Page 17	2		582 104 *	678 989	582 114	582 124	618 612	618 629	707 938
GC3005	desert sand	Uni	C1/ Page 16	1		713 180	713 210	713 243	713 257	713 285	713 298	713 276
GC3007	rome sand	Uni	B4/ Page 16	1	Innovation	767 094	767 102	767 050	767 128	767 136	767 144	767 152
GC3008	cream cashmere	Uni	A7/ Page 16	1	Innovation	767 095	767 103	767 121	767 129	767 137	767 145	767 153
GC3210	miracle desert	Coarse	C14/ Page 17	2		427 649	600 519	426 204	426 205	431 564	426 253	707 941
GC3322	miracle shell	Coarse	C10/ Page 17	2	Innovation	767 389	767 392	767 395	767 398	767 402	767 405	767 408
GC3328	miracle coast	Coarse	C9/ Page 17	2	Innovation	767 096	767 104	767 122	767 130	767 138	767 146	767 154
GC3391	miracle dune	Coarse	C8/ Page 17	2		685 975	693 479	685 993	686 002	693 493	693 497	707 942
GC3434	miracle vanilla	Coarse	A14/ Page 17	2		629 273 *	629 279	629 285 *	629 291	629 297	629 303	707 943
GC3737	frosted sahara	Fine	C12/ Page 17	2	Innovation	766 808	766 813	766 798	766 823	766 828	766 833	766 839
GC3961	miracle feather	Coarse	B12/ Page 17	2		582 105	678 990	582 115	582 125	599 978	599 993	707 944
GC4001■	new york grey	Uni	B5/ Page 16	1		597 389	681 141	597 406	597 434	618 603	618 620	707 922
GC4011	manhattan grey	Uni	B5/ Page 16	1		768 727	768 729	768 731	768 733	768 735	768 737	768 739
GC4002▲	london grey	Uni	B2/ Page 16	1		597 390	681 142	597 407	597 435	618 604	618 621	707 923
GC4022	soho grey	Uni	B2/ Page 16	1		768 728	768 730	768 732	768 734	768 736	768 738	768 740
GC4004	asphalt grey	Uni	B3/ Page 16	1	Innovation	767 097	767 105	767 123	767 131	767 139	767 147	767 155
GC4143	frosted dust	Fine	B11/ Page 17	2		427 650 *	681 143	426 207 *	426 208	431 555	426 255	707 945
GC4422	frosted flint	Fine	B8/ Page 17	2		706 856	706 858	706 874	706 876	706 860	706 872	707 976
GC4439	miracle granite	Coarse	E8/ Page 17	2	Innovation	766 809	766 814	766 799	766 824	766 829	766 834	766 840
GC4712	frosted grey	Fine	F9/ Page 17	2		427 652 *	600 520	426 213 *	426 214	431 559	426 259	707 949
GC4715	miracle flint	Coarse	E9/ Page 17	2	Innovation	767 098	767 106	767 124	767 132	767 140	767 148	767 156
GC4732	frosted melange	Fine	B14/ Page 17	2	Innovation	766 810	766 815	766 800	766 825	766 830	766 835	766 841

■ soon new reference GC4011 due to recipe modification
▲ soon new reference GC4022 due to recipe modification


Worktops						Sizes/Article numbers						
						Support 35 mm Type P3						
						4100 mm						
						single postformed				double postformed		
Decor		Design group	Co-ordinate Page	Price group	Status	600 mm	650 mm	900 mm	1200 mm	670 mm	900 mm	1200 mm
GC4884	miracle basalt	Coarse	D13/ Page 17	2		713 184	713 234	713 247	713 261	713 289	713 302	713 280
GC5008	glass green	Uni	B1/ Page 16	1	Innovation	767 099	767 107	767 125	767 133	767 141	767 149	767 157
GC5242	miracle cliff	Coarse	D8/ Page 17	2	Innovation	766 811	766 816	766 821	766 826	766 831	766 836	766 843
GC5665	miracle camouflage	Coarse	D9/ Page 17	2		713 185	713 235	713 248	713 262	713 290	713 303	713 312
GC6001	sevilla red	Uni	C3/ Page 16	1		597 393	681 147	597 410	597 438	618 605	618 622	707 924
GC6004	pastel violet	Uni	C2/ Page 16	1		714 058	714 161	714 165	714 313	714 169	714 212	714 316
GC6172	frosted wine	Fine	E11/ Page 17	2		427 653	681 148	426 216	426 217	431 558	426 261	707 953
GC6421	miracle coral	Coarse	B13/ Page 17	2		582 110	681 149	582 120	582 130	618 616	618 633	707 955
GC6886	miracle berry	Coarse	E10/ Page 17	2		713 186	713 236	713 250	713 263	713 291	713 304	713 313
GC7002	coffee bean	Uni	B6/ Page 16	1		652 239	664 520	664 531	664 542	664 553	664 564	713 277
GC7193	frosted pepper	Fine	D12/ Page 17	2	Innovation	767 390	767 393	767 396	767 400	767 403	767 406	767 409
GC7227	miracle coffee	Coarse	E14/ Page 17	2		713 187	713 237	713 251	713 264	713 292	713 305	713 314
GC7312	frosted sand	Fine	D11/ Page 17	2		427 655	674 424	426 222	426 223	431 557	426 266	707 958
GC7557	miracle cognac	Coarse	E12/ Page 17	2		713 188	713 238	713 252	713 265	713 293	713 306	713 315
GC7761	frosted tobacco	Fine	E13/ Page 17	2		629 277	629 283	629 289	629 295	629 301	629 307	707 959
GC7940	miracle caramel	Coarse	D10/ Page 17	2		582 111	681 150	582 121	582 131	618 617	618 634	707 960
GC8558	miracle lagoon	Coarse	D14/ Page 17	2		713 190	713 240	713 254	713 267	713 295	713 308	713 317
GC9923	frosted vanilla	Fine	C13/ Page 17	2		582 113 *	681 155	582 123 *	582 133	618 609	618 626	707 963
GCR783	raindrops coffee	Raindrops	E3/ Page 16	3		652 237 *	664 518	664 529	664 540	664 551	664 562	707 967
GCS176	star mars	Star	E4/ Page 16	3	Innovation	767 100	767 108	767 126	767 134	767 142	767 150	767 158
GCS189	star anthracite	Star	E6/ Page 16	3		585 355 *	639 256	585 358	585 361	592 154	592 157	707 968
GCS356	star champagne	Star	D5/ Page 16	3		713 192	713 242	713 256	713 269	713 297	713 310	713 319
GCS415	star metallic	Star	D6/ Page 16	3		715 159	715 161	715 162	715 163	715 164	715 165	715 166
GCS692	star sevilla red	Star	E1/ Page 16	3		597 398	679 035	597 426	597 444	598 098	598 100	707 970
GCS746	star venus	Star	E2/ Page 16	3	Innovation	767 101	767 109	767 127	767 135	767 143	767 151	767 159
GCT236	terrazzo crystal	Terrazzo	D2/ Page 16	3		672 569 *	672 581	672 583	672 585	672 587	672 589	707 971
GCT244	terrazzo pebble	Terrazzo	D3/ Page 16	3	Innovation	767 391	767 394	767 397	767 401	767 404	767 407	767 410
GCTR18	raindrops anthracite	Raindrops	E5/ Page 16	3		652 229	664 511	664 522	664 533	664 544	664 555	707 973
GCTR29	raindrops ivory	Raindrops	D4/ Page 16	3		652 231 *	664 512	664 523	664 534	664 545	664 556	707 974
GCV142	marmo meduna	Veneto	G4-5/ Page 16	3		716 577	716 580	716 603	716 606	716 607	716 610	716 613
GCV223	marmo padola	Veneto	F2-3/ Page 16	3		733 262	733 263	733 264	733 265	733 266	733 267	733 268
GCV239	marmo piave	Veneto	F4-5/ Page 16	3		716 578	716 601	716 604	716 619	716 608	716 611	716 614
GCV374	marmo brenta	Veneto	F6-7/ Page 16	3	Innovation	754 199	754 200	754 221	754 222	754 223	754 224	754 225
GCV478	marmo livenza	Veneto	G2-3/ Page 16	3		716 579	716 602	716 605	716 620	716 609	716 612	716 615

* short-term delivery | otherwise 2 - 3 week's lead time



■ Edges

3 or 10 mm acrylic resin based solid surface material, surface wet sanded (P600), reverse dry sanded (P80). Concealed fixing by using GetaCore two-component adhesive.




■ Wall Splashback Profiles

10 mm acrylic-bound Solid Surface profile with rounded front edge, radius 10 mm, surface: wet sanded (P600), reverse dry sanded (P80).

Accessories						Sizes/Article numbers				
						Edges			Wall splashback profile	Coved profile
						4100 mm			4100 mm	4100 mm
						45 mm		35,7 mm		
Decor		Design group	Co-ordinate Page	Price group	Status	3 mm	10 mm	10 mm	10 mm	10 mm
GC1001	vienna black	Uni	B7/ Page 16	1		594 453	593 691	593 627	662 446	606 100
GC1062	miracle black	Coarse	F8/ Page 17	2		427 659	432 476	427 675	662 447	606 131
GC1112	frosted space	Fine	F12/ Page 17	2		594 454	593 692	593 628	662 448	606 132
GC1122	frosted dark	Fine	F10/ Page 17	2		427 660	432 477	427 676	662 449	606 133
GC1472	miracle stone	Coarse	F11/ Page 17	2		629 097	629 103	629 109	662 450	629 121
GC2002	cream white	Uni	A4/ Page 16	0		594 458	593 696	593 682	662 492	606 138
GC2007	pergamon	Uni	A6/ Page 16	1		551 878	551 874	551 876	662 493	606 139
GC2008	davos white	Uni	A2/ Page 16	1		699 836	699 839	698 857	699 852	699 855
GC2011	titan white	Uni	A3/ Page 16	0		672 642	672 644	672 566	672 646	672 648
GC2232	frosted light	Fine	B9/ Page 17	2		427 661	432 478	427 677	662 494	606 140
GC2245	frosted star	Fine	A10/ Page 17	2		699 838	699 851	698 859	699 854	699 857
GC2252	frosted carat	Fine	A13/ Page 17	2	Innovation	766 844	766 852	766 857	766 867	766 862
GC2258	miracle rock	Coarse	A12/ Page 17	2		712 979	712 866	712 927	712 993	713 170
GC2269	frosted cloud	Fine	A9/ Page 17	2		694 913	694 915	694 344	694 719	694 717
GC2371	miracle white	Coarse	B10/ Page 17	2		427 662	432 479	427 678	662 495	606 141
GC2388	miracle beach	Coarse	A11/ Page 17	2		684 664	684 660	684 579	684 668	684 672
GC2423	miracle sand	Coarse	C11/ Page 17	2		554 984	554 957	554 995	662 497	606 143
GC3005	desert sand	Fine	C1/ Page 16	2		712 976	712 863	712 924	712 990	713 167
GC3007	rome sand	Fine	B4/ Page 16	1	Innovation	767 161	767 169	767 177	767 193	767 185
GC3008	cream cashmere	Fine	A7/ Page 16	1	Innovation	767 162	767 170	767 178	767 194	767 186
GC3210	miracle dessert	Coarse	C14/ Page 17	2		427 665	432 482	427 681	662 501	606 146
GC3322	miracle shell	Coarse	C10/ Page 17	2	Innovation	767 421	767 424	767 427	767 434	767 430
GC3328	miracle coast	Coarse	C9/ Page 17	2	Innovation	767 163	767 171	767 179	767 195	767 187
GC3391	miracle dune	Coarse	C8/ Page 17	2		684 663	684 659	684 578	684 667	684 671
GC3434	miracle vanilla	Coarse	A14/ Page 17	2		629 098	629 104	629 110	662 502	629 122
GC3737	frosted sahara	Fine	C12/ Page 17	2	Innovation	766 846	766 853	766 858	766 868	766 863
GC3961	miracle feather	Coarse	B12/ Page 17	2		582 148	582 145	559 093	662 503	606 148
GC4001■	new york grey	Uni	B5/ Page 16	1		594 460	593 698	593 684	662 504	606 149
GC4011	manhattan grey	Uni	B5/ Page 16	1		768 741	768 743	768 745	768 747	768 749
GC4002▲	london grey	Uni	B2/ Page 16	1		594 461	593 699	593 685	662 505	606 150
GC4022	soho grey	Uni	B2/ Page 16	1		768 742	768 744	768 746	768 748	768 750
GC4004	asphalt grey	Uni	B3/ Page 16	1	Innovation	767 164	767 172	767 180	767 196	767 188
GC4143	frosted dust	Fine	B11/ Page 17	2		427 666	432 483	427 682	662 506	606 151
GC4422	frosted flint	Fine	B8/ Page 17	2		707 163	707 169	707 181	707 167	707 165
GC4439	miracle granite	Coarse	E8/ Page 17	2	Innovation	766 847	766 854	766 859	766 869	766 864
GC4712	frosted grey	Fine	F9/ Page 17	2		427 668	432 485	427 684	662 510	606 155

■ soon new reference GC4011 due to recipe modification
▲ soon new reference GC4022 due to recipe modification




■ Coved Profile

Acrylic-bound Solid Surface material suitable to create a radiused edge between worktop and wallback panel or upstand, radius 8 mm. Wet sanded surface finish (P600), reverse dry sanded (P80).

Accessories						Sizes/Article numbers				
						Edges			Wall splashback profile	Coved profile
						4100 mm			4100 mm	4100 mm
						45 mm		35,7 mm		
Decor		Design group	Co-ordinate Page	Price group	Status	3 mm	10 mm	10 mm	10 mm	10 mm
GC4715	miracle flint	Coarse	E9/ Page 17	2	Innovation	767 165	767 173	767 181	767 197	767 189
GC4732	frosted melange	Fine	B14/ Page 17	2	Innovation	766 848	766 855	766 860	766 870	766 865
GC4884	miracle basalt	Coarse	D13/ Page 17	2		712 980	712 867	712 931	712 994	713 171
GC5008	glass green	Uni	B1/ Page 16	1	Innovation	767 166	767 174	767 182	767 198	767 190
GC5242	miracle cliff	Coarse	D8/ Page 17	2	Innovation	766 849	766 856	766 861	766 871	766 866
GC5665	miracle camouflage	Coarse	D9/ Page 17	2		712 981	712 868	712 932	712 995	713 172
GC6001	sevilla red	Uni	C3/ Page 16	1		594 464	594 202	593 688	662 524	606 163
GC6004	pastel violet	Uni	C2/ Page 16	1		714 031	714 018	714 015	714 037	714 034
GC6172	frosted wine	Fine	E11/ Page 17	2		427 669	432 486	427 685	662 525	606 164
GC6421	miracle coral	Coarse	B13/ Page 17	2		554 992	554 974	555 014	662 527	606 166
GC6886	miracle berry	Coarse	E10/ Page 17	2		712 982	712 869	712 935	712 996	713 173
GC7002	coffee bean	Uni	B6/ Page 16	1		712 977	712 864	652 226	712 991	713 168
GC7193	frosted pepper	Fine	D12/ Page 17	2	Innovation	767 422	767 425	767 428	767 435	767 431
GC7227	miracle coffee	Coarse	E14/ Page 17	2		712 983	712 870	712 936	712 997	713 174
GC7312	frosted sand	Fine	D11/ Page 17	2		427 671	432 488	427 687	662 532	606 168
GC7557	miracle cognac	Coarse	E12/ Page 17	2		712 984	712 971	712 937	712 998	713 175
GC7761	frosted tobacco	Fine	E13/ Page 17	2		629 102	629 108	629 114	662 533	629 126
GC7940	miracle caramel	Coarse	D10/ Page 17	2		554 993	554 975	555 015	662 534	606 170
GC8558	miracle lagoon	Coarse	D14/ Page 17	2		712 986	712 973	712 939	713 000	713 177
GC9923	frosted vanilla	Fine	C13/ Page 17	2		554 994	554 976	555 016	662 540	606 176
GCR783	raindrops coffee	Raindrops	E3/ Page 16	3		652 248	664 118	652 224	662 554	664 129
GCS176	star mars	Star	E4/ Page 16	3	Innovation	767 167	767 175	767 183	767 199	767 191
GCS189	star anthracite	Star	E6/ Page 16	3		585 373	585 370	585 367	662 555	613 263
GCS356	star champagne	Star	D5/ Page 16	3		712 988	712 975	712 946	713 002	713 179
GCS415	star metallic	Star	D6/ Page 16	3		715 167	715 169	715 168	715 170	715 181
GCS692	star sevilla red	Star	E1/ Page 16	3		596 039	596 035	596 031	662 557	613 266
GCS746	star venus	Star	E2/ Page 16	3	Innovation	767 168	767 176	767 184	767 200	767 192
GCT236	terrazzo crystal	Terrazzo	D2/ Page 16	3		672 643	672 645	672 567	672 647	672 649
GCT244	terrazzo pebble	Terrazzo	D3/ Page 16	3	Innovation	767 423	767 426	767 429	767 436	767 432
GCTR18	raindrops anthracite	Raindrops	E5/ Page 16	3		652 241	664 111	652 205	662 563	664 122
GCTR29	raindrops ivory	Raindrops	D4/ Page 16	3		652 242	664 112	652 208	662 564	664 123
GCV142	marmo meduna	Veneto	G4-5/ Page 16	3		716 905	725 801	718 284	726 691	726 649
GCV223	marmo padola	Veneto	F2-3/ Page 16	3		733 269	734 065	734 064	734 067	734 066
GCV239	marmo piave	Veneto	F4-5/ Page 16	3		716 906	725 802	718 285	726 692	726 650
GCV374	marmo brenta	Veneto	F6-7/ Page 16	3	Innovation	754 181	754 182	754 193	754 195	754 194
GCV478	marmo livenza	Veneto	G2-3/ Page 16	3		716 907	722 788	718 286	722 787	722 786

ACCESSORIES



■ Sanding Pads

for surface finishing, compatible with all commercial random orbital sanders with 150 mm sanding plates.

Sanding Pads	
1 piece	
Sanding kit SemiMat/SuperMat *	682 564
Sanding kit HighGloss **	665 787
25 pieces	
Sanding pad P 120	704 776
Sanding pad P 180	704 777
Sanding pad P 320	580 148
Sanding pad P 500	704 630
Sanding pad P 800	704 711
Sanding pad P 1200	704 712
Sanding pad VF 360 (red)	704 628
Sanding pad S 400 (black)	704 629
Staubpad STS 150	580 152
Felt pad	602 925

* Contents SemiMat/SuperMat sanding set:
2 x P 120, 2 x P 180, 2 x P 320, 2 x VF 360 (red), 2 x S 400 (black), 1 x STS 150

** Contents HighGloss sanding set:
2 x P 120, 2 x P 180, 2 x P 320, 2 x P 500, 2 x P 800, 2 x P 1200, 1 x STS 150, 1 x felt pad



■ Care & Maintenance-kit

(small and large version) for GetaCore surfaces.

Care & Maintenance-kit	
small	large
618 291	618 280

Contents small care and maintenance kit:
1 piece each of mibrofibre cloth, sanding block, sanding pad P-320, P-800, S 400, dust pad STS 150, finishing sponge


Contents large care and maintenance kit:
1 piece each of mibrofibre cloth, sanding block, sanding pad P-320, P-800, S 400, dust pad STS 150, finishing sponge, sanding set HighGloss, polishing milk (bottle), cleaner (bottle)



■ Cleaner

Special Cleaner for all GetaCore surfaces to remove heavy stains, like e.g. coffee, tea, etc. contents 500 ml.


Cleaner	
1 piece	12 pieces
570 855	577 982



■ Polish milk

Festool Polishing Milk MP 5000 (contents 500 ml) to achieve the high gloss surface finish.


Polish milk
705 593



■ Finishing sponge

to remove marks of wear and tear. Appropriate for all GetaCore surfaces with "SemiMat" end finish.


Finishing sponge
705 440



■ **Alu moisture barrier**

to protect the worktop's reverse side near to cut-outs, ovens and dishwashers.


Alu moisture barrier	
1000 x 75 x 0,3 mm	5000 x 75 x 0,3 mm
427 800	608 681



■ **Cork Strip**

as an expansion joint for the 10 mm edge material.


Cork strip	
1800 x 35 x 5 mm	19000 x 35 x 5 mm
577 626	612 288



■ **Thermo Strip**

for professional isolation of cut outs for cookers/ovens.

Thermo Strip	
5000 x 25 x 2 mm	10000 x 25 x 2 mm
584 834	582 867



■ **Corner corner joint set**

for a simple and high-quality joint between GetaCore worktops and the chipboard substrate.


Corner corner joint set
562 269



■ **Sealing rubber sleeve**

The rubber sleeve safely seals drillings with a diameter of 35 mm, especially for water-tap drillings in elements. It protects the element (worktops, sinks/bowls, etc.) against ingress of moisture and by this prevents subsequent damage, like chip-board swelling, surface scratches, etc. Depending upon the slab's thickness the adequate sleeve has to be chosen: thickness 29 or 39 mm.

Sealing rubber sleeve	
29 mm	39 mm
642 373	642 374




Acrylic joint glue

GetaCore 2-component acrylic glue/joint adhesive in 50 ml and 250 ml cartridges including 2 mixing nozzles, suitable for the cartridge size. Additional nozzles are essential when using the same GetaCore cartridge more than twice.

Joint glue colour recommendation

Decor	Colour recommendation	50 ml	250 ml
GC1001	schwarz	599 819	599 863
GC1062	graubraun	600 371	600 491
GC1112	schwarz	599 819	599 863
GC1122	schwarz	599 819	599 863
GC1472	schwarz	599 819	599 863
GC2002	weiß	599 820	599 864
GC2004	transparent	420 940	551 259
GC2007	pergamon	432 308	555 111
GC2008	titanweiß	432 307	555 110
GC2011	titanweiß	432 307	555 110
GC2232	nebelgrau	599 861	599 865
GC2245	titanweiß	432 307	555 110
GC2252	kieselweiß	706 131	706 132
GC2258	kieselweiß	706 131	706 132
GC2269	titanweiß	432 307	555 110
GC2371	nebelgrau	599 861	599 865
GC2388	titanweiß	432 307	555 110
GC2423	nebelgrau	599 861	599 865
GC3005	sandbeige	694 362	694 363
GC3007	cappuccino	768 804	768 802
GC3008	pergamon	432 308	555 111
GC3210	hellbeige	431 306	555 108
GC3322	pergamon	432 308	555 111
GC3328	pergamon	432 308	555 111
GC3391	pergamon	432 308	555 111
GC3434	pergamon	432 308	555 111
GC3737	pergamon	432 308	555 111
GC3961	pergamon	432 308	555 111
GC4001	graubraun	600 371	600 491
GC4011	graubraun	600 371	600 491
GC4002	silbergrau	703 576	703 573
GC4022	nebelgrau	599 861	599 865
GC4004	basaltgrau	768 803	768 801
GC4143	mittelgrau	420 022	555 102
GC4422	silbergrau	703 576	703 573
GC4439	mittelgrau	420 022	555 102
GC4712	graubraun	600 371	600 491
GC4715	basaltgrau	768 803	768 801
GC4732	hellbeige	431 306	555 108
GC4884	blaugrau	713 364	713 348
GC5008	kieselweiß	706 131	706 132
GC5242	nebelgrau	599 861	599 865
GC5665	gelbgrau	713 365	713 349
GC6001	brillantrot	599 817	598 882
GC6004	violett	713 706	713 702
GC6172	weinrot	713 366	713 350
GC6421	nebelgrau	599 861	599 865
GC6886	weinrot	713 366	713 350
GC7002	dunkelbraun	632 599	632 595
GC7193	hellbeige	431 306	555 108
GC7227	dunkelbraun	632 599	632 595
GC7312	hellbraun	429 542	555 112
GC7557	dunkelbraun	632 599	632 595
GC7761	dunkelbraun	632 599	632 595
GC7940	hellbraun	429 542	555 112
GC8558	türkisblau	713 368	713 362
GC9923	hellbeige	431 306	555 108
GCR783	graubraun	600 371	600 491
GCS176	schwarz	599 819	599 863
GCS189	schwarz	599 819	599 863
GCS356	natur	713 367	713 361
GCS415	metall	715 129	715 128
GCS692	brillantrot	599 817	598 882
GCS746	graubraun	600 371	600 491
GCT236	titanweiß	432 307	555 110
GCT244	kieselweiß	706 131	706 132
GCTR18	schwarz	599 819	599 863
GCTR29	pergamon	432 308	555 111
GCV142	schwarz	599 819	599 863
GCV223	nebelgrau	599 861	599 865
GCV239	pergamon	432 308	555 111
GCV374	pergamon	432 308	555 111
GCV478	nebelgrau	599 861	599 865

ACCESSORIES





Special glue gun

for GetaCore 2-component joint adhesive. Suitable for 50 ml or 250 ml system. Additional nozzles are essential when using the same GetaCore cartridge more than twice.

Replacement nozzles

for 50/250 ml cartridges. Additional nozzles are essential when using the same GetaCore cartridge more than twice.

Special glue gun	
small	large
420 000	420 006

Replacement nozzles	
small (10 pieces)	large (10 pieces)
420 005	610 601



GetaCore® Decor: GCV 239

GetaCore®

SPECIAL RANGE SINKS/BASINS

Everyday, we need and consume water. In kitchens and bathrooms, in laboratories and medical practices, at home and elsewhere. Water represents purity, freshness and inspiration. So far, the sanitary and working areas have been designed within very narrow limits. Sink and basin materials are mostly restricted to ceramics and stainless steel.

CE

CE-CERTIFICATION


All GetaCore kitchen sinks and bathroom basins are CE-certified and are labelled with a CE-logo-sticker prior packing. With the CE-seal the producer declares that the product meets all requirements according to European standards and it also reflects a trading permission for the European market.
Bathroom basins: DIN EN 14688 / Kitchen sinks: EN 13310

TOLERANCES

Each individual sink/basin is a man-made bowl. Therefore, minor tolerances in sizes are unavoidable. The following tolerances between drawing and original sink/basin can be accepted.

+/- 5 mm in length/width and depth
+/- 2 mm on 500 mm edge-length in perpendicularity / sink/basin edge.

KITCHEN SINKS GETACORE® – UNDERMOUNTED



Type	Length	Width	Depth	Downpipe
GETACORE CAST				
GC-MK-150	400 mm	150 mm	140 mm	in rear edge
GC-MK-190	400 mm	190 mm	140 mm	in rear edge
GC-MK-250	400 mm	250 mm	140 mm	in rear edge
GC-MK-330	400 mm	330 mm	175 mm	in rear edge
GC-MK-400	400 mm	400 mm	175 mm	in rear edge
GC-MK-450	400 mm	450 mm	175 mm	in rear edge
GC-MK-500	400 mm	500 mm	175 mm	in rear edge
GC-MK-600	400 mm	600 mm	175 mm	in rear edge
GC-MK-700	400 mm	700 mm	175 mm	in rear edge


CE certification to DIN EN 13310
Accessories: incl. sealing rubber sleeves
Overflow drilling: please select

GC-MK-150 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	768 700

GC-MK-330 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	768 701

GC-MK-450 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	768 189

DELIVERY TIME: APPROX. 3 WEEKS		
Decor	Type	Article number
GC 2011	GC-MK-190	902 840 + GC-MK-190 + GC 2011
	GC-MK-250	902 840 + GC-MK-250 + GC 2011
	GC-MK-400	902 840 + GC-MK-400 + GC 2011
	GC-MK-500	902 840 + GC-MK-500 + GC 2011
	GC-MK-600	902 840 + GC-MK-600 + GC 2011
	GC-MK-700	902 840 + GC-MK-700 + GC 2011




Type	Length	Width	Depth	Downpipe
WITH STAINLESS STEEL BOTTOM				
GC-KE-300	162 mm	300 mm	153 mm	in centre
GC-KE-345	495 mm	345 mm	153 mm	in rear edge
GC-KE-418	332 mm	418 mm	153 mm	in rear edge
GC-KE-450	450 mm	418 mm	170 mm	in rear edge
GC-KE-480	550 mm	480 mm	220 mm	in rear edge

CE certification to DIN EN 13310
Accessories
incl. sealing rubber sleeves, downpipe and overflow set with eccentric rotary knot and odour lock
GC-KE-300: incl. sealing rubber sleeves, manual downpipe and overflow set and odour lock
Overflow drilling: please select

GC-KE-300 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	727 903

GC-KE-418 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	727 904

DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-KE-300	902 840 + GC-KE-300 + Decor
	GC-KE-345	902 840 + GC-KE-345 + Decor
	GC-KE-418	902 840 + GC-KE-418 + Decor
	GC-KE-450	902 840 + GC-KE-450 + Decor
	GC-KE-480	902 840 + GC-KE-480 + Decor




Type	Length	Width	Depth	Downpipe
WITH STAINLESS STEEL BOTTOM AND UPSTAND				
GC-AE-345	495 mm	345 mm	167 mm	in rear edge

CE certification to DIN EN 13310
Accessories: incl. sealing rubber sleeves, downpipe and overflow set with eccentric rotary knot and odour lock
Overflow drilling: please select

GC-AE-345 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	726 796


DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-AE-345	902 840 + GC-AE-345 + Decor

SINK MODULES GETACORE®




Length	Width	Sink	Drainer area
TYPE 1 WITH GC-SINK			
1000 mm	520 mm	GC-MK-330, GC-MK-150	10 mm GC

CE certification to DIN EN 13310
Accessories: incl. sealing rubber sleeves, manual downpipe and overflow set, with eccentric rotary knot, connecting set and odour lock.
Overflow drilling: incl.



Length	Width	Sink	Drainer area
TYPE 1 GC SINK WITH STAINLESS STEEL BOTTOM			
1000 mm	520 mm	GC-KE-418, GC-KE-300	10 mm GC

CE certification to DIN EN 13310
Accessories: incl. sealing rubber sleeves, manual downpipe and overflow set, with eccentric rotary knot, connecting set and odour lock.
Overflow drilling: incl.




Length	Width	Sink	Drainer area
TYPE 1 WITH STAINLESS STEEL SINK			
1000 mm	520 mm	Blanco Supra 340-U, Blanco Supra 160-U	10 mm GC

CE certification to DIN EN 13310
Accessories: incl. downpipe set incl. space-saving pipe, 3,5" valve waste basket, valve outside pull line, (drilling Ø 14 mm on site); fixing kit (sealing on site), perforated add-on bowl.
Overflow drilling: incl.


Combinations "drainer to sink" are possible. Sinks are only available in certain decors.
The 10 mm drainer area is available in all decors.

SINK MODULES GETACORE®




Length	Width	Sink	Drainer area
TYPE 2 WITH GC-SINK			
1000 mm	520 mm	GC-MK-450	10 mm GC

CE certification to DIN EN 13310
Accessories: incl. sealing rubber sleeves, downpipe and overflow set, with eccentric rotary knot and odour lock.
Overflow drilling: incl.



Length	Width	Sink	Drainer area
TYPE 2 GC SINK WITH STAINLESS STEEL BOTTOM			
1000 mm	520 mm	GC-KE-418	10 mm GC


CE certification to DIN EN 13310
Accessories: incl. sealing rubber sleeves, downpipe and overflow set, with eccentric rotary knot and odour lock.
Overflow drilling: incl.



Length	Width	Sink	Drainer area
TYPE 2 WITH STAINLESS STEEL SINK			
1000 mm	520 mm	Blanco Supra 340-U	10 mm GC

CE certification to DIN EN 13310
Accessories: incl. downpipe set incl. space-saving pipe, 3,5" valve waste basket, valve outside pull line, (drilling Ø 14 mm on site); fixing kit (sealing on site).
Overflow drilling: incl.

SANITARY BASINS GETACORE® – UNDERMOUNTED




Type	Length	Width	Depth	Downpipe
ROUNDED				
GC-RU-275	275 mm	275 mm	110 mm	in centre
GC-RU-370	370 mm	370 mm	151 mm	in centre
GC-RU-445	445 mm	445 mm	134 mm	in centre

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves
Overflow drilling: please select

GC-RU-370 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2002	A4/ Page 16	0	596 780
GC2007	A6/ Page 16	1	574 140
GC2011	A3/ Page 16	0	670 885
GC2232	B9/ Page 17	2	573 935
GC2245	A10/ Page 17	2	699 860
GC2258	A12/ Page 17	2	713 323
GC4143	B11/ Page 17	2	573 940
GC4712	F9/ Page 17	2	574 132

DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-RU-275	902 840 + GC-RU-275 + Decor
	GC-RU-370	902 840 + GC-RU-370 + Decor
	GC-RU-445	902 840 + GC-RU-445 + Decor

You can find further sinks under www.blanco.de, www.franke.com, www.reginox.de
Prices and lead times upon request.



Type	Length	Width	Depth	Downpipe
OVAL				
GC-OV-360	360 mm	260 mm	119 mm	in rear edge
GC-OV-408	408 mm	304 mm	113 mm	in rear edge
GC-OV-460	456 mm	342 mm	116 mm	in rear edge
GC-OV-520	517 mm	392 mm	127 mm	in rear edge
GC-OV-562	562 mm	382 mm	119 mm	in rear edge
GC-OV-590	590 mm	370 mm	91 mm	in rear edge


CE certification to DIN EN 14688

Accessories: incl. sealing rubber sleeves

Overflow drilling: please select

GC-OV-562 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2002	A4/ Page 16	0	596 889
GC2007	A6/ Page 16	1	574 167
GC2011	A3/ Page 16	0	670 886
GC2232	B9/ Page 16	2	574 245
GC3434	A14/ Page 17	2	628 924
GC4143	B11/ Page 17	2	574 250
GC4712	F9/ Page 17	2	574 252

DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-OV-360	902 840 + GC-OV-360 + Decor
	GC-OV-415	902 840 + GC-OV-415 + Decor
	GC-OV-460	902 840 + GC-OV-460 + Decor
	GC-OV-520	902 840 + GC-OV-520 + Decor
	GC-OV-562	902 840 + GC-OV-562 + Decor
	GC-OV-590	902 840 + GC-OV-590 + Decor




Type	Length	Width	Depth	Downpipe
OVAL				
GC-SO-465/335	465 mm	335 mm	130 mm	in rear edge

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves
Overflow drilling: please select

GC-SO-465/335 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC1112	F12/ Page 17	2	642 699
GC2002	A4/ Page 16	0	642 702
GC2007	A6/ Page 16	1	642 703
GC2008	A2/ Page 16	1	699 864
GC2011	A3/ Page 16	0	670 889
GC2232	B9/ Page 17	2	642 704
GC2245	A10/ Page 17	2	699 866
GC2258	A12/ Page 17	2	713 419
GC2269	A9/ Page 17	2	699 889
GC2371	B10/ Page 17	2	642 705
GC2388	A11/ Page 17	2	689 143
GC3434	A14/ Page 17	2	642 722
GC4143	B11/ Page 17	2	642 726
GC4422	B8/ Page 17	2	707 751
GC4712	F9/ Page 17	2	642 730
GC6172	E11/ Page 17	2	642 735
GC7312	D11/ Page 17	2	642 740
GC9923	C13/ Page 17	2	642 747
GCT236	D2/ Page 16	3	710 008
GCV142	G4-5/ Page 16	3	726 640
GCV223	F2-3/ Page 16	3	734 346
GCV239	E4-5/ Page 16	3	726 639
GCV374	F6-7/ Page 16	3	768 694
GCV478	G2-3/ Page 16	3	722 785

DELIVERY TIME: CA. 2 -3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo	GC-SO-465/335	902 840 + GC-SO-465/335 + Decor

SANITARY BASINS GETACORE® – UNDERMOUNTED




Type	Length	Width	Depth	Downpipe
WELLE BASINS				
GC-W-460	460 mm	280 mm	130 mm	in rear edge
GC-W-600	560 mm	368 mm	117 mm	in rear edge
GC-W-1000	1100 mm	368 mm	118 mm	in rear edge

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves, downpipe set
Overflow drilling: please select

GC-W-600 OHNE OVERFLOW DRILLING | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	725 966

GC-W-600 WITH OVERFLOW DRILLING | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	670 887

DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-W-460	902 840 + GC-W-460 + Decor
	GC-W-600	902 840 + GC-W-600 + Decor
	GC-W-1000	902 840 + GC-W-1000 + Decor




Type	Length	Width	Depth	Downpipe
RECTANGULAR MOULD				
GC-RG-400	400 mm	260 mm	100 mm	in rear edge
GC-RG-450	450 mm	300 mm	110 mm	in rear edge
GC-RG-550	550 mm	370 mm	118 mm	in rear edge
GC-RG-1100	1100 mm	370 mm	118 mm	in rear edge

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves, downpipe set
Overflow drilling: please select

DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-RG-400	902 840 + GC-RG-400 + Decor
	GC-RG-450	902 840 + GC-RG-450 + Decor
	GC-RG-550	902 840 + GC-RG-550 + Decor
	GC-RG-1100	902 840 + GC-RG-1100 + Decor

SANITARY BASINS GETACORE® – UNDERMOUNTED




Type	Length	Width	Depth	Downpipe
RECTANGULAR				
GC-RE-330	330 mm	200 mm	84 mm	in rear edge
GC-RE-400	400 mm	260 mm	84 mm	in rear edge
GC-RE-404	400 mm	400 mm	84 mm	in rear edge
GC-RE-500	500 mm	300 mm	97 mm	in rear edge
GC-RE-550	550 mm	370 mm	97 mm	in rear edge
GC-RE-1000	1000 mm	450 mm	145 mm	in rear edge
GC-RE-1100	1100 mm	370 mm	84 mm	in rear edge

CE certification to DIN EN 14688

Accessories: incl. sealing rubber sleeves, downpipe set

Overflow drilling: please select

DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-RE-330	902 840 + GC-RE-330 + Decor
	GC-RE-400	902 840 + GC-RE-400 + Decor
	GC-RE-404	902 840 + GC-RE-404 + Decor
	GC-RE-500	902 840 + GC-RE-500 + Decor
	GC-RE-550	902 840 + GC-RE-550 + Decor
	GC-RE-1000	902 840 + GC-RE-1000 + Decor
	GC-RE-1100	902 840 + GC-RE-1100 + Decor



Type	Length	Width	Depth	Downpipe
RECTANGULAR				
GC-RR-370	370 mm	370 mm	125 mm	in centre
GC-RR-550	550 mm	370 mm	125 mm	in centre
GC-RR-800	800 mm	370 mm	131 mm	in centre


CE certification to DIN EN 14688

Accessories: incl. sealing rubber sleeves, downpipe set

Overflow drilling: please select

DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-RR-370	902 840 + GC-RR-370 + Decor
	GC-RR-550	902 840 + GC-RR-550 + Decor
	GC-RR-800	902 840 + GC-RR-800 + Decor


SANITARY BASINS GETACORE® – SET ON



Type	Length	Width	Depth	Downpipe
OVAL				
GC-OA-650	625 mm	375 mm	109 mm	in rear edge

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves, downpipe set
Overflow drilling: please select


DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-OA-650	902 840 + GC-OA-650 + Decor



Type	Length	Width	Depth	Downpipe
RECTANGULAR (GC-AW-BASIN)				
GC-AW-600	654 mm	508 mm	150 mm	in rear edge
GC-AW-1100	1205 mm	508 mm	150 mm	in rear edge

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves, downpipe set
Overflow drilling: please select


DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-AW-600	902 840 + GC-AW-600 + Decor
	GC-AW-1100	902 840 + GC-AW-1100 + Decor



Type	Length	Width	Depth	Downpipe
RECTANGULAR (GC-RE-BASIN)				
GC-AR-500	580 mm	440 mm	120 mm	in rear edge
GC-AR-600	630 mm	510 mm	120 mm	in rear edge

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves, downpipe set
Overflow drilling: please select


DELIVERY TIME: APPROX. 3 WEEKS		
Decor groups	Type	Article number
Uni Fine/Coarse Terrazzo Veneto	GC-AR-500	902 840 + GC-AR-500 + Decor
	GC-AR-600	902 840 + GC-AR-600 + Decor



Type	Length	Width	Depth	Downpipe
DESIGN SET ON BASINS – MUSE				
GC-DM-690	690 mm	390 mm	190 mm	in centre

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves, GetaCore adapter oval
Overflow drilling: none


GC-DM-690 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	705 501



Type	Length	Width	Depth	Downpipe
DESIGN SET ON BASINS – OASE				
GC-DO-690	690 mm	370 mm	190 mm	in centre

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves, GetaCore adapter oval
Overflow drilling: none

GC-DO-690 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	705 502




Type	Length	Width	Depth	Downpipe
DESIGN SET ON BASINS – SHELL				
GC-DS-840	840 mm	380 mm	150 mm	in centre

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves, GetaCore adapter oval
Overflow drilling: none

GC-DS-840 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	705 489

SANITARY BASINS GETACORE® – SET ON




Type	Length	Width	Depth	Downpipe
DESIGN SET ON BASINS – TWIN				
GC-DT-820	820 mm	420 mm	120 mm	in centre

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves, GetaCore adapter oval
Overflow drilling: none

GC-DT-820 | STOCK RANGE, SHORT-TERM DELIVERY			
Decor	Co-ordinate	Price group	Article number
GC2011	A3/ Page 16	0	705 490

LABORATORY BASINS GETACORE®




Type	Length	Width	Depth	Downpipe
LABORATORY BASINS				
GC-LB-400	400 mm	400 mm	200 mm	in rear edge

CE certification to DIN EN 14688
Accessories: incl. sealing rubber sleeves, GetaCore adapter oval
Overflow drilling: none


DELIVERY TIME: APPROX. 3 WEEKS		
Decor	Type	Article number
GC 2011	GC-LB-400	902 840 + GC-LB-400 + GC 2011

DOWNPIPE SYSTEMS KITCHEN SINKS




■ **Downpipe with eccentric rotary knot**
and overflow for kitchen sinks.

Downpipe with eccentric rotary knot
561 840




■ **Manual downpipe**
and overflow for kitchen sinks.

Manual downpipe
561 841




■ **Manual downpipe for left-over sinks**
and overflow for left-over sinks.

Manual downpipe for left-over sinks
561 838



■ **Connecting set**
for serial installation for sink modules.


Connecting set
561 842



■ **Odour lock**
for kitchen sinks.


Odour lock
561 843

DOWNPIPE SYSTEMS FOR SANITARY BASINS



■ **Basin adaptor**
Overflow for version with overflow drilling.

Basin adaptor
582 570



■ **Clou downpipe system**
with leverage for version without overflow drilling.

Clou downpipe system
547 125

ACCESSORIES FOR SINKS AND BASINS



■ Filling compound Biresin

2-component-system (1 kg each), fast hardening, to fill sink / basin cut-outs.


Filling compound Biresin		
Set	Component A	Component B
584 076	583 980	583 981



■ Silane-modified polymer glue

Glue to fix stainless steel bowls with GetaCore. Cartridge 310 ml. Colour: grey.

Silane-modified polymer glue
584 203



■ Milling templates for sinks/basins

HPL compact sheet for milling of bowl or basin forms.

Milling templates for sinks/basins	
GC-RU-370	576 317
GC-SO-465/335	648 643
GC-OV-562	576 319
GC-MK-150	768 697
GC-MK-330	768 698
GC-MK-450	768 699
Sink modules Type1/Type 2	580 350

ACCESSORIES SET-ON BASINS



■ Sealing rubber sleeve

The rubber sleeve safely seals drillings with a diameter of 35 mm, especially for water-tap drillings in elements. It protects the element (worktops, sinks/bowls, etc.) against ingress of moisture and by this prevents subsequent damage, like chipboard swelling, surface scratches, etc. Depending upon the slab's thickness the adequate sleeve has to be chosen: thickness 29 or 39 mm.

Sealing rubber sleeve	
29 mm	39 mm
642 373	642 374



■ GetaCore adapter rounded

Sizes: 100 x 100 x 10 mm
Decor: GC 2011

for a solid connection between basin and washstand (for example for basin GC-RU-370).

GetaCore adapter rounded
717 866



■ GetaCore adapter oval

Sizes: 240 x 110 x 10 mm
Decor: GC 2011

for a solid connection between basin and washstand (for example for basin GC-SO-465/335).

GetaCore adapter oval
717 865

CLASSIFICATION FLAME RETARDANT

All GetaCore slab decors in thicknesses 10 mm and 12 mm are categorized flame retardant C-s1, d0 to DIN EN 13501-1 according to the undermentioned classification reports

10 mm: Classification report no. 230010065-3
12 mm: Classification report no. 230005603-3

The classification reports are available under www.westag-getalit.de

OBJECT BUSINESS

A project-related decor development and individual, customized sizes are on offer: length (1800–5000 mm), width (650–1270 mm) and thickness (3–22 mm)

Please kindly contact your local specialist retailer who will gladly provide you with more detailed information.

Minimum quantities for standard sizes:
4100 x 1250 x 3 mm = 115 sheets
4100 x 1250 x 10 mm = 40 sheets

PROCESSING

GetaCore® can easily be processed with standard hard metal-tipped tools.
Please kindly also refer to our Processing and Care instructions booklet:

http://www.westag-getalit.de/en/laminateselements/media-centre/downloads/processing-recommendations/

In order to keep sanding efforts for you as low as possible, sheets are delivered in a wet-sanded surface finish (P600) and are additionally foil-protected. The surfaces can be finished to SuperMat, SemiMat or HighGloss by making use of our sanding recommendations and sanding papers.

SURFACE MAINTENANCE

GetaCore® maintenance is simple. By means of standard cleaning agents, stains can easily be removed. Contrary to many other materials GetaCore® surfaces can be renewed at any time. Light traces of daily wear and tear and light scratches can simply be removed, thus maintaining the new look of this material.

Valuable hints for care, maintenance and surface renovation for GetaCore® are available in our instruction manual below, allowing you to enjoy the outstanding quality properties of GetaCore® year after year:

links.westaggetalit.de/careandmaintenance

WESTAG QUALITY – MADE IN GERMANY

Westag & Getalit AG has been a leading European manufacturer of wood based and synthetic products for more than 100 years. How do we stand out against other companies? We deliberately decided to locate our production in Germany, namely in Wiedenbrueck and Wadersloh – two sites offering the required determining factors. Efficient performance with a high degree of productivity is guaranteed by continuous investments. Our employees' high motivation and the willingness to contribute to business success with innovative solutions are indispensable.

ift ZERTIFIZIERT

Managementsysteme
DIN EN ISO 9001 – Qualität
DIN EN ISO 50001 – Energie
Reg.-Nr.: 96-005, 13-006

ISO 9001 CERTIFICATION

Westag & Getalit fully complies with the international management standards (DIN EN ISO 9001). The uncompromising monitoring of this philosophy and production is focused on during Westag & Getalit's every day workflows. This is not only conducted by our own laboratory, but also by the competence of external and independent audit teams.

RAL-/NCS ALLOCATION

Decor		Co-ordinate	RAL*	NCS*
GC 1001	vienna black	B7/ Page 16	80 22	S 8500-N
GC 2002	cream white	A4/ Page 16	90 10	S 0500-N
GC 2007	pergamon	A6/ Page 16	10 13	S 1002-Y50R
GC 2008	davos white	A2/ Page 16	90 03	S 0502-B
GC 2011	titan white	A3/ Page 16	90 16	S 0300-N
GC 3005	desert sand	C1/ Page 16		S 3010-Y30R
GC 3007	rome sand	B4/ Page 16	RAL-Design 080 7005	
GC 3008	cream cashmere	A7/ Page 16		S 1505-Y70R
GC4001	new york grey	B5/ Page 16	70 39	S 6502-Y
GC4011	manhattan grey	B5/ Page 16	70 39	S 6502-Y
GC4002	london grey	B2/ Page 16	70 35	S 2002-G
GC4022	soho grey	B2/ Page 16	70 35	S 2002-G
GC4004	asphalt grey	B3/ Page 16		S 2500-N
GC 5008	glass green	B1/ Page 16		S 0505-B80G
GC 6001	sevilla red	C3/ Page 16	30 03	S 2570-R
GC 6004	pastel violet	C2/ Page 16		S 5020-R30B
GC 7002	coffee bean	B6/ Page 16	80 19	S 8505-Y80R

* RAL/NCS data is approximative with regards to color systems and might differ depending on surface finishes!

Subject to errors and technical modifications for products in this catalogue.

GLOSSARY

ADDITIONAL NOZZLES are necessary for a repeated usage of a GetaCore joint adhesive cartridge. A nozzle is only suitable for one-time usage, as the glue hardens.

COVED PROFILE GETACORE® Harmoniously shaped transition between worktop and wall panelling (backpanel or wall splashback profile).

FINISHING SPONGE removes signs of daily wear and tear from the GetaCore top in SemiMat (Seidenmatt) end finish

GETACORE® The acrylic-bound Solid Surface material captivates with its unique stone optics and with its outstanding depth effect and – contrary to the optics – this product is warm to the touch. GetaCore can easily be shaped individually and processed with standard wood working machinery. Even composite panels or undermounted basins seem to be made all of a piece. The more amazing is the material´s compact property which makes GetaCore suitable for long lasting use. This product silhouettes against the market not only by the batch-free production resulting in constant decors and structures. GetaCore can also be applied both horizontally and vertically.

GETACORE® ELEMENTS worktops made of acrylic-bound Solid Surface material captivates with its warm haptics and its joint-free optics. Angle joints or undermounted GetaCore sinks are bonded with optically seamless joints. This underlines the monolithic effect – the material seems to be "all of a piece". The non-porous surface represents an additional convincing argument for a GetaCore worktop in your kitchen.

GETACORE® SURFACES Signs of scratches and daily wear and tear are inevitable during customary use and these become more obvious in the case of high-gloss and colour-intensive decors in comparison to other decors. Especially for GetaCore Uni decors minor occasional dust inclusions cannot be ruled out due to production procedures.

JOINT ADHESIVE Usage for joint-free bonding of two GetaCore materials.

POLISHING MILK cleans and maintains the GetaCore Brilliant Gloss surface. With one working step the material gets the gloss optics.

SANDING PADS are suitable for GetaCore surface treatment / care. They are compatible to all customary eccentric sanding machines with a sanding disc diameter of 150 mm. You get further information on the leaflet accompanying the material, in our processing recommendations and on our internet site how to achieve the SuperMat, SemiMat or the HighGloss surfaces.

SPECIAL GLUE PISTOL for GetaCore joint adhesives in double nozzle with mixing nozzle processing the components in the adequate mixing ratio.

SURFACE FINISHES GETACORE® NS=Nassschliff, SM=Seidenmatt; Bril=Brillantglanz

VENETO BY GETACORE® is the new line of our acrylic-bound Solid Surface material combining approved quality with artistic impression. The veins lend this material its unique marble character.

Further information under www.westag-getalit.de