



Leading supplier of doors and floors

LEADERFLOORS | **LEADER**DOORS

Contents

Liberty Doors

- Fully Finished

Cordoba

Keswick

Morente

Bilbao

- White

Ashton

Cottage

Semi-Ripple

Grained Flush

Horizontal 5P

DX1930's

Trent

- Cottage Style Doors

Grange Ledged Finished

Grange Ledged Unfinished

Pine Ledged & Braced

Why Choose Liberty Doors

04 Liberty Floors 14

- Real Wood

05 14/3 DIY collection 15

05 Asian walnut collection 17

06 Strand woven bamboo collection 19

06 - Laminate

Aurora laminate collection 21

07 Stellato laminate collection 23

07 Vision laminate collection 25

09 - Vinyl Floors

09 Premium click planked collection 27

10 Premium click tiled collection 28

10 Why choose Liberty Floors 29

11 Accessories/underlays 30

How to order 31





Leading supplier of doors & floors

“Leader are proud to present our very own collection of Liberty brand Doors & Floors. We sincerely hope that you like our stunning range of products and find the right product for you.”

Danny Shine, Managing Director

With manufacturers across China, Indonesia, South Africa, Estonia and Germany, we are able to bring our products to the UK market at competitive prices, without compromising on quality. Our state-of-the-art warehouse at our head office in the north east of England has over 30,000 square feet of storage space, this means we can store thousands of doors, floors & more for quick next-day dispatch to our customers.

Our design and development department are responsible for all product and marketing. Our in-house team of product experts allows us take products from initial ideas right through to production and marketing.

Liberty is a brand synonymous with quality, and it's one that we're proud to have created. So please enjoy our fantastic range of products perfect for home and commercial properties.



The brand new Liberty Doors range is exclusive to Leader Doors and won't be found anywhere else. This luxury quality collection of real oak, walnut and white doors offer the ultimate in style and decor trend influences, with ultra-modern designs offering a contemporary solution to projects of wide ranging budgets..

25 25 year extended manufacturers guarantee



Internal usage



Environmentally friendly timber from sustainable forestry





Internal Oak Fully Finished Cordoba Door

Material: Oak veneer
Finish: Fully finished, ready to hang
Core Type: Solid wood core
Panels: 5
Construction Type: Dowelled
Grooves: Dark painted grooves for added definition
Lipping: 18mm Solid oak/ash lippings
Trimming: Up to 14mm from any side
Recommended hardware: 3 x internal hinges

FD30 Fire Door

Fire Rating: This door has an FD30 fire rating, lasting 30 minutes against a fire
Recommended hardware: 3x CE internal fire safety hinges

Cordoba	
1981x686x35mm (78x27")	LIBOAKCOR27
1981x762x35mm (78x30")	LIBOAKCOR30
1981x838x35mm (78x33")	LIBOAKCOR33
Cordoba FD30 Fire Door	
1981x762x44mm (78x30")	LIBOAKCORFD30
1981x838x44mm (78x33")	LIBOAKCORFD33



Internal Oak Fully Finished Keswick Door

Material: Oak veneer
Finish: Fully finished, ready to hang
Core Type: Solid wood core
Panels: 1
Construction Type: Dowelled
Grooves: Dark painted grooves for added definition
Lipping: 18mm Solid oak/ash lippings
Trimming: Up to 14mm from any side
Recommended hardware: 3 x internal hinges

FD30 Fire Door

Fire Rating: This door has an FD30 fire rating, lasting 30 minutes against a fire
Recommended hardware: 3x CE internal fire safety hinges

Keswick	
1981x686x35mm (78x27")	LIBOAKKES27
1981x762x35mm (78x30")	LIBOAKKES30
1981x838x35mm (78x33")	LIBOAKKES33
Keswick FD30 Fire Door	
1981x762x44mm (78x30")	LIBOAKKESFD30
1981x838x44mm (78x33")	LIBOAKKESFD33





Internal Walnut Fully Finished Morente Door

Material: Walnut veneer
Finish: Fully finished, ready to hang
Core Type: Solid wood core
Panels: 5
Construction Type: Dowelled
Lipping: 18mm Solid walnut lippings
Trimming: Up to 14mm from any side
Recommended hardware: 3 x internal hinges

FD30 Fire Door

Fire Rating: This door has an FD30 fire rating, lasting 30 minutes against a fire
Recommended hardware: 3x CE internal fire safety hinges

Morente	
1981x686x35mm (78x27")	LIBWALMOR27
1981x762x35mm (78x30")	LIBWALMOR30
1981x838x35mm (78x33")	LIBWALMOR33
Morente FD30 Fire Door	
1981x762x44mm (78x30")	LIBWALMORFD30
1981x838x44mm (78x33")	LIBWALMORFD33



Internal Oak Fully Finished Bilbao Door

Material: Oak veneer
Finish: Fully finished, ready to hang
Core Type: Solid wood core
Panels: 6
Construction Type: Dowelled
Grooves: Dark painted grooves for added definition
Lipping: 18mm solid ash lippings
Trimming: Up to 14mm from any edge
Recommended hardware: 3 x internal hinges

FD30 Fire Door

Fire Rating: This door has an FD30 fire rating, lasting 30 minutes against a fire
Recommended hardware: 3x CE internal fire safety hinges

Bilbao	
1981x686x35mm (78x27")	LIBOAKBIL27
1981x762x35mm (78x30")	LIBOAKBIL30
1981x838x35mm (78x33")	LIBOAKBIL33
Bilbao FD30 Fire Door	
1981x762x44mm (78x30")	LIBOAKBILFD30
1981x838x44mm (78x33")	LIBOAKBILFD33



Internal White Primed Ashton Door

Material: Solid white primed
Finish: Double coated, ready for a final finish
Core Type: Solid wood core
Panels: 3
Construction Type: Dowelled
Trimming: Up to 12mm from any side
Recommended hardware: 3 x internal hinges

3L Door with Clear Glass

Glazing type: 4mm Single Glazed Clear toughened safety glass

Ashton	
1981x838x35mm (78x33")	IWPASH33
1981x686x35mm (78x27")	IWPASH27
1981x762x35mm (78x30")	IWPASH30
Ashton with Clear Glass	
1981x686x35mm (78x27")	IWPASHCG27
1981x762x35mm (78x30")	IWPASHCG30



Internal White Moulded Primed Cottage Door

Material: White moulded
Finish: Primed, ready to paint
Core Type: Middleweight Core
Panels: 5
Trimming: Up to 10mm from each side
Recommended hardware: 3 x internal hinges

FD30 Fire Door

Fire Rating: This door has an FD30 fire rating, lasting 30 minutes against a fire
Recommended hardware: 3x CE internal fire safety hinges

Cottage	
1981x686x35mm (78x27")	LIBWMCOT27
1981x762x35mm (78x30")	LIBWMCOT30
1981x838x35mm (78x33")	LIBWMCOT33
2040x726x40mm (80.3x28.6")	LIBWMCOT726
Cottage FD30 Fire Door	
1981x762x44mm (78x30")	LIBWMCOTFD30
1981x838x44mm (78x33")	LIBWMCOTFD33





Internal White Moulded Primed Semi-Ripple Door

Material: White moulded
Finish: Primed, ready to paint
Core Type: Middleweight Core
Trimming: Up to 10mm from each side
Recommended hardware: 3 x internal hinges

FD30 Fire Door

Fire Rating: This door has an FD30 fire rating, lasting 30 minutes against a fire
Recommended hardware: 3x CE internal fire safety hinges

Ripple	
1981x686x35mm (78x27")	LIBWMRIP27
1981x762x35mm (78x30")	LIBWMRIP30
1981x838x35mm (78x33")	LIBWMRIP33
Ripple FD30 Fire Door	
1981x762x44mm (78x30")	LIBWMRIPFD30
1981x838x44mm (78x33")	LIBWMRIPFD33



Internal White Moulded Primed Grained Flush Door

Material: White moulded
Finish: Primed, ready to paint
Core Type: Middleweight Core
Trimming: Up to 10mm from each side
Recommended hardware: 3 x internal hinges

FD30 Fire Door

Fire Rating: This door has an FD30 fire rating, lasting 30 minutes against a fire
Recommended hardware: 3x CE internal fire safety hinges

Grained Flush	
1981x686x35mm (78x27")	LIBWMFG27
1981x762x35mm (78x30")	LIBWMFG30
1981x838x35mm (78x33")	LIBWMFG33
2040x726x40mm (80.3x28.6")	LIBWMFG726
Grained Flush FD30 Fire Door	
1981x762x44mm (78x30")	LIBWMFGFD30
1981x838x44mm (78x33")	LIBWMFGFD33



Internal White Moulded Primed 5 Panel Horizontal Door

Material: White moulded
Finish: Primed, ready to paint
Core Type: Middleweight Core
Panels: 5
Trimming: Up to 10mm from each side
Recommended hardware: 3 x internal hinges

FD30 Fire Door

Fire Rating: This door has an FD30 fire rating, lasting 30 minutes against a fire
Recommended hardware: 3x CE internal fire safety hinges

Horizontal	
1981x610x35mm (78x24")	LIBWM5P24
1981x686x35mm (78x27")	LIBWM5P27
1981x762x35mm (78x30")	LIBWM5P30
1981x838x35mm (78x33")	LIBWM5P33
2040x726x40mm (80.3x28.6")	LIBWM5P726
Horizontal FD30 Fire Door	
1981x762x44mm (78x30")	LIBWM5PFD30
1981x838x44mm (78x33")	LIBWM5PFD33



Internal White Primed 1930's DX Door

Material: Solid white primed
Finish: Double coated, ready for a final finish
Core Type: Solid Core
Panels: 4
Construction Type: Dowelled
Trimming: Upto 12mm from each side
Recommended hardware: 3 x internal hinges

FD30 Fire Door

Fire Rating: This door has an FD30 fire rating, lasting 30 minutes against a fire
Recommended hardware: 3x CE internal fire safety hinges

1930's DX	
1981x610x35mm (78x24")	IWPDX24
1981x686x35mm (78x27")	IWPDX27
1981x762x35mm (78x30")	IWPDX30
1981x838x35mm (78x33")	IWPDX33
1930's DX FD30 Fire Door	
1981x762x44mm (78x30")	IWPDXFD30



Internal White Primed Trent Door

Material: White Primed

Finish: Double coated, ready for a final finish

Core Type: Semi-Solid Core

Panels: 3

Construction Type: Dowelled

Trimming: Up to 12mm from any side

Recommended hardware: 3 x internal hinges

FD30 Fire Door

Fire Rating: This door has an FD30 fire rating, lasting 30 minutes against a fire

Recommended hardware: 3x CE internal fire safety hinges

Trent	
1981x686x35mm (78x27")	IWPTRE27
1981x762x35mm (78x30")	IWPTRE30
1981x838x35mm (78x33")	IWPTRE33
2040x726x40mm (80.3x28.6")	IWPTRE726
Trent FD30 Fire Door	
1981x762x44mm (78x30")	IWPTREFD30
1981x838x44mm (78x33")	IWPTREFD33



Internal White Primed Trent 1L Door with Clear Glass

Material: White Primed

Finish: Double coated, ready for a final finish

Core Type: Semi-Solid Core

Panels: 3

Glazing type: 4mm Single Glazed Clear toughened safety glass

Construction Type: Dowelled

Trimming: Up to 12mm from any side

Recommended hardware: 3 x internal hinges

Trent with Clear Glass	
1981x686x35mm (78x27")	IWPTRECG27
1981x762x35mm (78x30")	IWPTRECG30
1981x838x35mm (78x33")	IWPTRECG33



Internal Solid Rustic Oak Fully Finished Grange Solid Ledged Door

Material: Oak
Finish: Fully finished, ready to hang
Core Type: Solid Oak
Recommended hardware: 1x Beeswax Door Hardware Kit and 1x Lock Block/Bracing Pack
Sustainability: European sustainable oak timber

Grange Ledged Finished	
1981x610x40mm (78x24")	HOLB24
1981x686x40mm (78x27")	HOLB27
1981x762x40mm (78x30")	HOLB30
1981x838x40mm (78x33")	HOLB33



Internal Solid Rustic Oak Unfinished Grange Solid Ledged Door

Material: Rustic Grade Oak
Finish: Unfinished, ready to stain
Core Type: Solid Oak
Panels: 5 (Varies depending on size)
Recommended hardware: 1x Beeswax Door Hardware Kit
Sustainability: European sustainable oak timber

Grange Ledged Unfinished	
1981x610x40mm (78x24")	DIE4930-RUSTIC
1981x686x40mm (78x27")	DIE4940-RUSTIC
1981x762x40mm (78x30")	DIE4960-RUSTIC
1981x838x40mm (78x33")	DIE4990-RUSTIC

25



Knotty Pine Unfinished Framed, Ledged & Braced Gate/Door

Material: Knotty Pine

Finish: Unfinished, ready to paint or stain

Core Type: Solid Pine

Construction Type: Dowelled

Recommended hardware: 3x External hinges

Usage: Internal or External

Sustainability: European sustainable pine timber

Knotty Pine Framed, Ledged & Braced

1981x610x44mm (78x24")	LOFLB24
1981x686x44mm (78x27")	LOFLB27
1981x762x44mm (78x30")	LOFLB30
1981x838x44mm (78x33")	LOFLB33
1981x914x44mm (78x36")	LOFLB36
2032x813x44mm (80x32")	LOFLB32

Knotty Pine Ledged & Braced

1981x610x40mm (78x24")	LOLLB24
1981x686x40mm (78x27")	LOLLB27
1981x762x40mm (78x30")	LOLLB30
1981x838x40mm (78x33")	LOLLB33

Why choose Liberty Doors?

Not only are Liberty Doors manufactured with up-to-the-minute designs which suit modern decor trends, they're also manufactured with the highest quality materials and care to ensure a long lifespan which will outlive any other alternative. As Liberty Doors is exclusive to Leader Doors, we can offer the lowest prices available in the UK meaning you don't have to worry about price when it comes to your next project, you also don't have to wait! We can deliver as soon as next-day, with same day dispatch available on almost all designs.

- Next day delivery with same day dispatch available.
- Leading designs offering up-to-the-minute style.
- High quality construction, with unbeatable quality control.
- Cost effective pricing, with highly competitive pricing across the whole range.
- Expert advice available on hand from our product experts.
- 12 month 0% interest free finance available on orders over £300.

These are just a few of the many benefits on offer with the Liberty Doors collection, for more info please contact our product team today on **01429 241 270**.





Over the years, we've spent countless hours developing the ultimate collection of flooring and hand picked only the very best products for Liberty Floors. With a collection of flooring products that range from sleek vinyl flooring, to elegant real wood, this range is suitable for every room in almost all residential and commercial settings. We offer a full sample service, completely free of charge on the entire collection of Liberty Floors. This means that you can make sure that you are 100% happy with a product before you make the purchase and when the time comes to choose your perfect floor, you can order it online as soon as next-day.





Golden Oak Matt Lacquered |
LIBEOAK14125GOLDEN



Grey White Washed Matt Lacquered |
LIBEOAK14125GREY



Oak UV Oiled |
LIBEOAK14125UVOIL



Oak UV Lacquered |
LIBEOAK14125LAC



White Stone Oak Matt Lacquered |
LIBEOAK14125WHITE



Premier Click Oak UV Lacquered |
LIBEOAK14125CLICKLAC



Premier Click Oak Brushed & Lacquered |
LIBEOAK14125CLICKBRUSHLAC



Premier 14mm x 125mm Engineered Real Wood Flooring

Thickness: 14mm

Solid wear layer: 3mm

Width: 125mm

Length: Random lengths (1 full length board per pack)

Pack Size: Covers 1.8m²

Number of Planks: Each pack contains a random number of planks

Construction: 3-layer plywood with Oak wear layer with authentic natural and vivid wood textured surface

Edge detail: Micro-Bevelled Edge

Fitting system: Tongue & Groove system (Premier click uses Unilin click system)

Time to acclimatise: 48 Hours

Guarantee: Commercial 5 Years & Residential 25 Years

Suitable for underfloor heating: Yes upto a maximum surface temperature of 26°C





93mm | LIBAWAL1893



150mm | LIBAWAL18150



Classic 18mm Asian Walnut Stained & Clear Lacquered Solid Wood Flooring

Thickness: 18mm

Length: Random between 300-1200mm

Number of Planks: Each pack contains a random number of planks

Construction: Solid plank

Finish: Stained & Clear Lacquered

Flooring colour: Asian Walnut

Shade: Dark

Edge detail: Micro-Bevelled Edge

Fitting system: Tongue & Groove system

Grade: Select (ABC)

Time to acclimatise: 48 Hours

Guarantee: Residential 25 Years

Suitable for underfloor heating: No





Carbonised | CSWB-14x125-SUVL



Natural | NSWB-14x125-SUVL



Rustic Carbonised Strand Woven |
CSWB-14x125-P



Rustic Natural Strand Woven |
NSWB-14x125-PPG



Classic 14mm x 125mm Strand Woven Bamboo Satin UV Lacquered Solid Wood Flooring

Thickness: 14mm

Width: 125mm

Length: 1850mm

Pack Size: Covers 1.85m²

Number of Planks: Each pack contains 8 planks

Construction: Solid 3 layer strand woven bamboo with 6 coats of satin UV lacquer

Finish: Satin UV Lacquered

Edge detail: Micro-Bevelled Edge

Fitting system: UNICLIC® system

Time to acclimatise: 48 Hours

Guarantee: Commercial 15 Years & Residential 25 Years

Suitable for wet areas: Yes with care

Suitable for underfloor heating: Yes upto a maximum surface temperature of 28°C





Ornate Botanical | 47551



Ornate Hacienda | 47549



Ornate Ivory | 47548



Ornate Moroccan | 47547



Ornate Perennial | 47552



Ornate Sonata | 47489



Ornate Valance | 47490



Aurora 8mm Tile Laminate Flooring

Thickness: 8mm

Width: 160mm

Length: 1286mm

Pack Size: Covers 2.06m²

Number of Tiles: Each pack contains 10 tiles

Construction: CLASSEN-Board with smooth finished surface

Edge detail: Bevelled Edge

Fitting system: Classen Megaloc system

Grade: AC4 (Class 32)

Time to acclimatise: 24 hours

Guarantee: Commercial 5 Years & Residential 20 Years

Suitable for wet areas: Yes with care

Suitable for underfloor heating: Yes upto a maximum surface temperature of 26°C





Chalk Sandstone Light | 47488



Clean Slate Black | 26844



Clean Slate Blue | 44409



Concrete Stone Beige | 44150



Concrete Stone Grey | 35460



Concrete Stone White | 44482



Marble Black | 47527



Marble Grey Light | 44160




Slate Ash | 44410



Slate Grey | 44152



Weathered Slate Blue | 47486



Weathered Slate Grey | 47487

Stellato 8mm Tile Laminate Flooring

Thickness: 8mm

Width: 282mm

Length: 605mm

Pack Size: Covers 2.05m²

Number of Tiles: Each pack contains 12 tiles

Surface texture: Embossed authentic finish

Construction: CLASSEN-Board with registered embossed surface

Edge detail: Bevelled Edge

Fitting system: Classen Megaloc system

Time to acclimatise: 24 hours

Guarantee: Commercial 5 Years & Residential 20 Years

Suitable for wet areas: Yes with care

Suitable for underfloor heating: Yes upto a maximum surface temperature of 26°C

PEFC certified: Yes







Vintage Black | 47532



Vintage Sandstone Beige | 47535



Vintage Stone Light | 47534



Vintage Stone | 47537



Vintage White | 47531



Vision 8mm Tile Laminate Flooring

Thickness: 8mm

Width: 282mm

Length: 605mm

Pack Size: Covers 2.05m²

Number of Tiles: Each pack contains 12 tiles

Construction: CLASSEN-Board with registered embossed surface

Edge detail: Bevelled Edge

Fitting system: Classen Megaloc system

Time to acclimatise: 24 hours

Guarantee: Commercial 1 Year & Residential 20 Years

Suitable for wet areas: Yes with care

Suitable for underfloor heating: Yes upto a maximum surface temperature of 26°C

Surface texture: Smooth finish





Amarillo Oak | 314420



Boston Oak | 314410



Cleveland Oak | 314412



Colorado Oak | 314415



Denver Oak | 314463



Fontana Oak | 314422



Huntsville Oak | 314421



Kansas Oak | 314413



Madison Oak | 314416



Norfolk Walnut | 314418



Portland Oak | 314411



Richmond Oak | 314419



Stockton Oak | 314417



Tucson Oak | 314414



Premium Click 4.2mm Embossed Waterproof Luxury Vinyl Flooring

Thickness: 4.2mm

Solid wear layer: 0.3mm

Width: 191mm

Length: 1316mm

Pack size: Covers 2.01m²

Number of planks: Each pack contains 8 planks

Construction: 0.3mm wear layer with Superguard resistant surface

Finish: Embossed

Edge detail: Micro-Bevelled Edge

Fitting system: L2C Click system

Grade: AC3 (Class 23/31)

Time to acclimatise: 24 hours

Guarantee: Commercial 5 Years & Residential 12 Years

Suitable for wet areas: Yes, this flooring is waterproof when sealed correctly making it suitable for bathrooms, kitchens and other wet areas

Suitable for underfloor heating: Yes upto a maximum surface temperature of 27°C




Burbank | 314350



Frisco Stone | 314335



Pasadena | 314348



Pomena Stone | 314347



Premium Click 4.2mm Embossed Waterproof Tile Luxury Vinyl Flooring

Thickness: 4.2mm

Solid wear layer: 0.3mm

Width: 300mm

Length: 600mm

Pack size: Covers 2m²

Number of Tiles: Each pack contains 10 tiles

Construction: 0.3mm wear layer with
Superguard resistant surface

Finish: Embossed

Edge detail: Micro-Bevelled Edge

Fitting system: L2C Click system

Grade: AC3 (Class 23/31)

Time to acclimatise: 24 hours

Guarantee: Commercial 5 Years & Residential
12 Years

Suitable for wet areas: Yes, this flooring is
waterproof when sealed correctly making it
suitable for bathrooms, kitchens and other wet
areas

Suitable for underfloor heating: Yes upto a
maximum surface temperature of 27°C



Why choose Liberty Floors?

Choosing a new floor can be hard when purchasing online, that's why with Liberty Floors, we offer a full sample service via our website, completely free of charge. You can choose from gorgeous real oak & wood floors, laminate floors and even luxury vinyl tiled floors and see how they'd look in your home setting before you decide to purchase. As we import the full range from our overseas factories, we can offer competitively priced products without sacrificing any quality, so when it comes to choosing a new floor you can sit back and relax while we deliver it as soon as next-day.

- Next day delivery with same day dispatch available.
- Wide range of colours to choose in every range.
- High quality construction, with unbeatable quality control.
- Cost effective pricing, with highly competitive pricing across the whole range.
- Expert advice available on hand from our product experts.
- 12 month 0% interest free finance available on orders over £300.

These are just a few of the many benefits on offer with the Liberty Floors collection, for more info please contact our product team today on **01429 241 270**.



Underlays

We stock a wide range of premium underlays to suit all of our flooring products. These fantastic products have been hand picked to ensure a perfect synergy with our flooring products.



2mm Acoustic White Wood & Laminate Underlay | WPKWFU



3mm Barrier Wood & Laminate Flooring Underlay | QAU-BAR-01



5.5mm FineFloor FibreBoard Wood & Laminate Flooring Underlay | QAU-FFF-01



3mm Combi Silver Wood & Laminate Flooring Underlay | WPKCSU



2mm TimberTech2 Silver Plus Wood & Laminate Flooring Underlay | QAU-TTS-0



1.5mm Premier Click Vinyl Flooring Underlay | PREMLVT96

Accessories

We can also provide a great range of complimenting flooring accessories to suit all floors available in the range.



Scotia Beading, Door Bars (Adapting, Connecting & End Profiles), Skirting; all colour matches available in our laminate range.



UNIKA ClicSeal Flooring Sealant



Variety of flooring cleaners/maintenance accessories available online



UNIKA Installation Kits (Laminate, Real Wood & LVT)



UNIKA PVA D3 Adhesive (T&G Floors)

Browse the full range of flooring underlays and accessories online at low prices today, visit www.leaderfloors.co.uk

Flooring suitability



Basement

This floor is suitable for use in basements, when fitted with a suitable underlay to protect from ground floor moisture.



Bathroom

This floor is suitable for use in bathrooms. This product in particular is highly recommended choice for areas prone to more moisture.



Bathroom (with care)

This floor is suitable for use in bathrooms, provided a suitable waterproof sealant is used to prevent water intrusion into the expansion gap.



Bedroom

This floor is suitable for use in bedrooms. We recommend a sound reduction underlay to reduce noise in rooms below.



Conservatory

This floor is suitable for use in conservatories, when fitted with a suitable underlay to protect from ground floor moisture.



Hallway

This floor is suitable for use in a hallway, offering high levels of durability to withstand heavy footfall.



Kitchen

This floor is suitable for use in kitchens. This product in particular is highly recommended choice for areas prone to more moisture.



Kitchen (with care)

This floor is suitable for use in kitchens, provided a suitable waterproof sealant is used to prevent water intrusion into the expansion gap.



Living Room

This floor is suitable for use in living spaces, offering high levels of durability to withstand the busiest of modern lifestyles.



Underfloor Heating

This floor is suitable for use with an underfloor heating system, when fitted with a suitable thermal underlay.

How to order?

To make ordering a Liberty Door or Floor as simple as possible, we've got a number of payment methods available to all customers. You can visit our websites at leaderdoors.co.uk or leaderfloors.co.uk and place an order online using credit or debit card (all major UK cards accepted) or alternatively, you can checkout easily with PayPal, Amazon Payments and we even accept BACS bank transfers if you prefer. If you would prefer to speak to a human, our friendly and helpful product experts are on hand to discuss anything you'd like to know about our products. We're able to help with any questions or enquiries and can even take payment via credit/debit card over the telephone, just as long as the delivery and billing addresses are the same on your order.

Want to spread the cost? Why not checkout using our integrated website finance solution. You can benefit from up to 12 months interest free finance on orders over £300 and with our simple application process you can get a decision in minutes. Full terms & conditions are available on our websites (find the "0% Finance FAQ" page).

If you would like to speak to one of the team about our products, call us today on **01429 241 270** or email us on the contact details below:

www.leaderdoors.co.uk

t: 01429 241 270 **e:** customerservices@leaderdoors.co.uk

www.leaderfloors.co.uk

t: 01429 241 270 **e:** customerservices@leaderfloors.co.uk

Visit our store:

LEADER STORES, 103 Whitby Street South, Hartlepool, TS24 7LH

The Complete Collection of Doors & Floors

The Liberty brand is synonymous with quality and is fully exclusive to Leader Online, meaning it won't be found anywhere else. With a growing range being added to all of the time, you can find the perfect door & flooring solution for every interior decor style.

Door sales: sales@leaderdoors.co.uk | **Floor sales:** sales@leaderfloors.co.uk

leaderdoors.co.uk | leaderfloors.co.uk | leaderstores.co.uk | leaderlights.co.uk

LEADERFLOORS | **LEADER**DOORS